



## Subject Index

- 1,3-butadiene 34, 38, 45, 62, 122
- Acid deposition 3, 81, 86-87, 89, 97-98
  - research in Mpumalanga 89
- Acid rain 55, 86, 96-97
- Acid soil 86
- Aerosol Recirculation and Rainfall Experiment (ARREX) 95-96
- Aerosols 37, 38, 43, 44, 71, 85, 86, 91-99
- African transport plume 85
- Agricultural burning 43
- Agriculture 3, 31-32
- Air quality 1
  - compliance of common pollutants with limits 66
  - conditions requiring attention 66
  - elevated concentrations of particulate matter 66
  - limits and thresholds 17, 66
  - research 89-101
  - standards 7, 10
- Air Quality Act (No. 39 of 2004) (AQA) 7, 8, 18, 19, 23, 41, 54, 68, 103-105, 119, 120
- Air Quality Governance Cycle 106-109
- Air quality in areas remote from pollution sources 59
- Air Quality Management and climate change 117
- Air Quality Management planning regime 111
  - government plans 111
  - industry plans 112
  - priority areas 112
- Air Quality Management Programme Phase II Transition Project 121
- Air quality monitoring programme 60
  - key components 60
- Air Quality Officers and cooperative governance structures 110
- Airports 3, 34, 66, 121
- Ambient (outdoor) air quality 2, 14
  - industrial and mining activities 2
  - busy traffic routes 2
  - monitoring 53-63
  - monitoring stations 53
  - commonly monitored compounds 53
  - current status and recent trends 65-79, 121-123
  - developments 123
- Ambient air pollutant concentrations 67
  - industry-related monitoring stations 69
  - multiple source types 67
  - residential household areas 67
  - road-traffic-related monitoring sites 68
- Ambient air quality
  - data availability 59
  - data quality 60
  - international network 60
  - monitoring network 59
  - monitoring stations 53
- Ambient air quality monitoring stations 53
  - at waste disposal sites 53
  - background stations 53
  - data quality 60
  - geographical distribution 56-58
  - in industrial areas 53
  - in informal settlements 53
  - in priority areas 53
  - in residential areas affected by industrial pollution 53
  - in urban areas affected by commercial and traffic pollution 53
  - international network 60
  - range of pollutants measured 53
  - spatial distribution 53
- Ambient air quality target values for metals 27
- Ambient air temperature 82
  - climate change 81-83
  - global warming 82
- Amersfoort 87, 97
- Ammonia 4
  - ecological impact 5
  - health impact 5
  - odour threshold 28, 29
- Angola wild fires 86
- Animals 5, 28, 43, 50
  - indoor pollutant source 47, 50
- Anthropogenic sources of atmospheric emissions 31, 32, 44
  - electricity generation 32
  - industrial and commercial activities 32
  - waste treatment and disposal 32
- Asbestos 50
  - asbestos mines 50
  - asbestosis 50
  - associated pulmonary disease 50
  - source of ambient air pollution 50
  - source of indoor pollution 50
  - use in affordable housing 50
  - use in road construction 50
- Asbestos mining 50
- Asian Brown Cloud 90
- Atlantic Ocean plume 86
- Atmospheric acid pollution 86
- Atmospheric dispersion modelling 63
- Atmospheric Emission Licence (AEL) 113
- Atmospheric emission sources 31
  - anthropogenic sources of atmospheric emissions 31-44
    - commercial and industrial fuel combustion 35
    - electricity generation 34
    - fuel combustion-related sources 32
    - household fuel burning 37
    - industrial process emissions 39
    - natural sources 31, 32
    - rail-related emissions 39
    - shipping emissions 39
    - vehicle emissions 37, 38
  - Atmospheric transport pathways 85
    - African transport plume 85



- air masses from Indian Ocean 85
- air masses from south and central Atlantic 85
- South America to southern Africa 85
- Background stations 59
- Benzene 24, 25
  - air quality limits 24, 25
  - concentrations in Durban, 2004 71
  - health-based air quality threshold 27, 28
- Biogenic Volatile Organic Compounds (BVOC) 98
  - ozone 98
  - southern African average 98
  - USA average 98
- Birth to Ten research project 49
- Botswana copper smelters 85
- Brown haze 89-93
  - Cape Town 89-93
  - research study 89-93
- Building materials and furnishings 50
  - indoor pollutant source 50
- Cadmium 4
  - climate change impact 4
  - ecological impact 4
  - health impact 4
  - health-based air quality threshold 27, 28
  - proposed air quality levels 26, 27
- Cancer
  - asbestosis 50
  - lung cancer 50
  - skin cancer 83
- Cape Floral Kingdom 98
- Cape Point 83
  - measurement of carbon dioxide levels 83
- Cape Town Brown Haze Study 1997 90
  - from vehicle emissions, wood burning and industrial boilers 90
- Cape Town Brown Haze Study 2003
- Cape Town
  - air quality data management and archiving systems 60
  - brown haze 89-93
  - Brown Haze studies 89-93
  - emission sources affecting Cape Town 45
- Cape Town International Airport 38
- Carbon dioxide 2, 4, 82
  - ecological impact 4
  - health impact 4
  - measurement at Cape Point 83
- Carbon monoxide 2, 4
  - air quality limits 23
  - ecological impact 4
  - health impact 4
- Carbon tetrachloride 28
  - health-based air quality threshold 27, 28
- Carcinogens 3, 5, 24, 42, 50 62, 78, 122
  - 1,3-butadiene 62, 122
  - arsenic 26
  - benzene 4, 24, 42, 62, 122
  - cadmium 5, 26
  - carbon tetrachloride 42
  - hexavalent chromium 5
  - methylene chloride 4, 42
  - nickel 26
  - tobacco smoke 50
- Central heating and cooling systems 50
  - indoor pollutant source 50
- Characterization of pollution sources 58
  - background station 53, 58
  - industrial area 53, 58
  - informal settlement 53, 58
  - power generation emissions 58
  - residential 58
  - residential affected by industrial pollution 53, 58
  - urban, affected by commercial and traffic pollution 53, 58
  - waste disposal site 53, 58
- Chlorofluorocarbons (CFCs) 2, 82, 84
  - ecological impact 4
  - health impact 4
- Chloroform 28, 77
  - health-based air quality threshold 27, 28
- Chromium 5, 28, 42, 56, 121
  - ecological impact 5
  - health-based air quality threshold 27, 28
  - health impact 5
- Climate change 81-83
  - adverse effects on infant growth and development 83
  - allergic diseases 83
  - crowding, malnutrition and starvation 83
  - droughts and floods 82
  - epidemic infectious diseases 83
  - eye diseases 83
  - greenhouse gases 82
  - impact on availability of arable land 83
  - impact on biodiversity 83
  - impact on human welfare 83
  - impact on infant growth and development 83
  - impact on water availability 83
  - infectious diseases and respiratory disorders 83
  - international agreements and protocols 83
  - leading to increases in ambient air pollution 83
  - potential health impact 82
  - reduced cellular immunity in humans 83
  - rising mortality 83
  - skin cancer 83
  - South Africa's sensitivity to global climate change 121
  - suffering due to weather extremes 83
  - temperature increases 82
  - vulnerability of people 82
- Climate Change and International Agreements (DEAT, 2006d) 83
- Climatology Research Group 91, 96
- Cloud microphysical processes in South Africa 95

- Coal combustion 49, 60, 101, 121
- Coal-burning households 48
- Combustion-related emissions 2, 31-45
  - commercial and industrial fuel combustion 3
  - electricity generation 33
  - household fuel burning 3
  - transportation sources rail-related emissions
- Commercial and industrial fuel combustion 35
- Common pollutants 2
  - ground-level ozone 4
  - volatile organic compounds (VOCs) 4
  - ammonia 4
  - hydrogen sulphide and TRS 4
  - lead 4
  - chromium 4
  - chlorofluorocarbons (CFCs) 2
  - particulate matter 2, 3
  - sulphur dioxide 2,3
  - nitrogen oxides 2,3
  - nitrous oxide 2,3
  - carbon monoxide 2, 4
  - methane 2, 4
  - carbon dioxide 2,4
  - effect on human health 3-5
  - effect on climate change 3-5
  - effect on the ecology 3-5
- Controlled emitters 114
- Controlled fuels 115
- Cooperative governance 109
  - business and industry 109
  - civil society 110
  - local government 109
  - National government 109
  - provincial government 109
- Copper 28, 78, 85
  - health-based air quality threshold 28
- Copper smelters 85
  - Botswana 85
  - Zambia 85
- Cost-effective air quality monitoring systems 7, 10
- Criteria pollutants 18
  - air quality limits 18-26
  - benzene 24
  - carbon monoxide 18
  - lead 18
  - nitrogen oxide 18
  - ozone 18
  - particulate matter 18
  - roadside concentrations 78
  - sulphur dioxide 18
- Cross-Border Air Pollution Impact Assessment Project (CAPIA) 89, 96
- CSIR 49, 54, 59, 61, 79, 96, 97, 99, 121
- Data management and archiving systems
  - Cape Town 60
  - Eskom Holdings 60
  - eThekweni Metropolitan Municipality 60
- Data quality from ambient air quality monitoring stations 60
- Department of Environmental Affairs and Tourism (DEAT) 18, 74, 96, 104, 109-110, 117
- DEAT air quality research database 90
- Democratic Republic of Congo wild fires 86
- Dense traffic areas air pollution concentrations and trends 65, 66
- Department of Health 50
- Developments in air quality management 119
- Diurnal and seasonal trends 65, 71-73
  - cooking 72
  - elevated stack emissions 73
  - evening peak 71
  - heating 73
  - of household fuel-burning 71
  - rush-hour traffic pollution patterns 73
  - winter months 72
- Droughts 82, 93, 97-98, 119, 121
- Dust deposition 25
  - proposed dustfall limits 26
  - threshold for ambient dustfall 26
- Dust mites 50
- Dustfall monitoring 74
  - action ranges 75
  - alert ranges 74, 75
  - Central Witwatersrand 74
  - industrial ranges 75
- Dustfall trends 74
  - Central Witwatersrand 74
  - dried-out slime dams 75
  - dustfall trends 74
  - gold-mine sand dumps 75
  - seasonal trends 75
  - weather influences on 75
  - wind speeds 75
- East-coast regions
  - projected climate change 82, 94
- El Niño 93, 94
- El Niño-Southern Oscillation 93, 94
- Electricity generation 116
- Electricity generation 3, 31-35, 103, 116, 121
- Elevated humidity levels 50
- Elevated stack emissions 73
- Elevated temperatures 50
- Emission-reduction strategies 7, 13, 63, 123
- Emissions inventories 63
- Environmental and climatic change 81
  - caused by industrial emissions 81
  - caused by veld fires 81
- Environmental justice 7
- Environmental tobacco smoke (ETS) 50
  - carcinogen 50
  - chemical compounds 50

- indoor pollutant source 50
- lung cancer deaths in USA 50
- Environmental–Economic interface 9
  - aligning air quality standards with sustainable development 10
  - cost–benefit analysis 13
  - cost-effective air quality monitoring systems 10
  - future trends 12
  - prioritizing sources 12
  - reducing the impact of air pollution 13
  - sustainable cities 9
- Environmental–Social interface 15
  - addressing environmental injustice 15
  - poverty alleviation 15
  - social acceptability of interventions 15
- Epidemic diseases due to climate change 83
- Eskom 55, 60-61, 79, 86, 96-97, 116
- eThekweni Metropolitan Municipality
  - air quality data management and archiving systems 60
- Ethylbenzene 4, 27, 28, 56, 71, 78
- European Commission 11
- Extension of available air quality information 62-63
  - atmospheric dispersion modelling 63
  - emissions inventories 63
  - passive sampling 63
  - remote sensing 63
- Eye cataracts due to ozone depletion 84
- Eye diseases due to climate change 83
- Floods 82, 119, 121
- Fossil-fuel sources 4, 87, 97-98, 101, 111, 114
- Fuel-combustion-related sources of pollution 31-34
  - biomass burning 33
  - coal consumption 35
  - domestic fuel burning 34
  - electricity generation 34
  - industrial and commercial fuel-burning 33, 35
  - vehicle emissions 34
- Fugitive dust 32
  - mining 32
  - miscellaneous sources 32
- Geographical distribution of ambient air quality monitoring stations 56-58
- Global climate change 83, 119, 121
- Global warming 2, 4-5, 81-83, 119, 121
  - ambient air temperature 82
- Gold mining 101
- Greenhouse gas (GHG) emissions 82
  - developed nations 82
  - developing nations 82
  - per capita emissions compared with USA 82
  - SA's contribution to GHG emissions 121
  - South Africa's per capita emissions 82
- Greenhouse gas 4, 5, 33, 34, 45, 56, 59, 66, 81, 82, 114, 117, 121
  - carbon dioxide 82
  - chlorofluorocarbons (CFCs) 82
  - measurement at Cape Point 59
  - methane 82
  - nitrous oxide 82
  - ozone 82
  - water vapour 82
- Ground-level ozone 4, 122
  - climate change impact 4
  - ecological impact 4
  - health impact 4
- Hazardous pollutants 41
- Haze days Cape Town 92
- Health risks in humans due to ozone depletion 84
- Heavily industrialized areas 65
  - air pollution concentrations and trends 65, 66
- High pollution days 29, 66, 70
- High-pollution days 29, 66, 70-71
- Highveld 3, 32, 33, 37, 43, 44, 79, 81, 85, 86, 95, 96, 98-100
- Household fuel combustion 115
- Household fuel-burning 12, 13, 15, 31, 33, 37, 47, 48, 65, 66, 67, 71, 76, 78, 115
- Humidification devices 50
  - indoor pollutant source 50
- Hydrogen sulphide 5, 28, 29, 39, 42, 56, 59, 69, 70, 96
  - health-based air quality threshold 27, 28
  - odour threshold 28, 29
- Hydrogen sulphide and TRS 5 4
  - ecological impact 5
  - health impact 5
  - health-based air quality threshold 27, 28
- Impact on vegetation due to ozone depletion 84
- Implementation Strategy for Control of Exhaust Emissions (DEAT, 2004a) 37
- Inadequate ventilation 49
  - indoor pollutant source 49
- Incineration 3, 31, 32, 40-42
- Indian Ocean plume 86
- Indoor air pollution levels 2
  - associated health risks 2
  - homes that burn fuels 2
  - indoor air quality 47
- Indoor air quality 47-50
  - indoor pollutant sources (other than fuel-burning) 47, 49, 50
  - within fuel-burning households 47, 48
- Indoor pollutant sources (other than fuel-burning) 49
  - animals 50
  - asbestos 50
  - building materials and furnishings 50
  - central heating and cooling systems 50
  - dust mites 50
  - elevated humidity levels 50
  - elevated temperatures 50
  - environmental tobacco smoke 50
  - humidification devices 50
  - inadequate ventilation 49



- moulds 50
  - paints 50
  - pesticides 50
  - radon gas 50
  - solvents and cleaning agents 50
- Indoor volatile organic compound (VOC) monitoring programmes 48
- Industrial and commercial activities 31, 32
- Industrial process emissions 31, 39-41
- Industry 116
- Infectious diseases and respiratory disorders due to climate change 83
- Informal refuse burning 31, 44
- Inhalable particulates 18, 19, 38, 86
  - air quality limits 18, 19, 20
- Integrated Pollution and Waste Management (IP&WM) policy goals 105
- Integrated Pollution and Waste Management policy 104
- Johannesburg 3, 32, 33, 38, 40, 41, 44, 49, 55, 58, 59, 60, 62, 66, 67, 69, 71, 72, 76, 79, 86, 112, 116, 122
  - inhalable particulates 86
  - University of 59, 99
  - VOC concentrations 76
- Kendal Power Station 70
- Key air pollution challenges 119
  - air quality limits for nitrogen oxides 120
  - elevated fine particulate concentrations 120
  - global climate change 121
  - high ambient concentrations of particulate matter 120
  - high ambient sulphur dioxide 120
  - human health impacts 120
  - location of heavy industries 120
  - national total CO<sub>2</sub> equivalent emissions 121
  - SA's contribution to GHG emissions 121
  - transportation sector 120
- Key mistakes in air quality management 9
- Kiepersol Joint Venture 55, 97
- Kyoto Protocol 81, 82, 117
- Landfill 4, 5, 31, 32, 41, 42
- Lead 5, 17, 18, 26, 34, 37, 39, 42, 53, 55, 56, 59, 78, 90
  - air quality limits 26
  - ecological impact 5
  - effects of exposure to high levels 26
  - health impact 5
- Legislation
  - Air Quality Act 104
  - smoking 50
- Listed activities 113
  - licensing 113
- Louis Trichardt 59, 87, 97
- Lung cancer 20, 50
  - deaths in USA 50
  - tobacco smoke 50
- Lungs 4, 18, 19, 20, 23, 24, 25
- Mercury 42, 100-101, 121
- Metals 26
- Methane 2, 4, 33, 38, 42, 45, 56, 78, 82, 117
  - climate change impact 4
  - health impact 4
- Minimum emission standards 113
- Mining 2, 3, 15, 31, 32, 42-43, 63, 65, 101
- Mining areas
  - air pollution concentrations and trends 65, 66
- Montreal Protocol 81, 84
- Moulds 50
  - indoor pollutant source 50
- Mpumalanga 3, 32, 33, 34, 40, 56, 59, 85, 89, 95, 97-98, 100
  - acid deposition research 89, 97-98
- National Air Quality Information Review (DEAT, 2006b) 54, 60-63
- National Air Quality Management Programme (NAQMP) 2000-2010 goals 105
- National Environment Management: Air Quality Act (No 39 of 2004) 7-8, 103-104
- Nitrogen dioxide (NO<sub>2</sub>) 2, 3, 4, 17, 18, 23, 37, 48, 56, 59, 66, 67, 68, 69, 92, 99 air quality limits 22, 23
- Nitrogen oxides 2, 3, 23, 31, 32, 33, 53, 55, 56, 59, 61, 71, 78, 89, 91, 93, 120
  - air quality limits 22, 23
  - ecological impact 4
  - health impact 4
- Nitrous oxide 2, 3, 82
  - ecological impact 4
  - health impact 4
- Non-criteria pollutants 27
  - health-based air quality thresholds 27
  - monitoring programmes 76
  - odour thresholds 28, 29
  - roadside concentrations 78
- Non-haze days Cape Town 92
- North West University 77
  - DEBITS programme 55, 60, 61
- O.R. Tambo International Airport 38
- Ozone 23, 82, 96, 98
  - air quality limits 23, 24, 25
  - depletion of stratospheric ozone 2
  - measurement 59
- Ozone-depleting substances (ODS) 84
- Paints 4, 47, 50
- Particulate matter 2, 3
  - air quality limits 18, 19, 20
  - diurnal variations in Soweto 72
  - ecological impact 4
  - health impact 4
- Passive sampling 63
- Passive smoking 50
  - indoor pollutant source 50
- Persistent air pollution problems 65, 66
- Persistent organic pollutants (POPs) 81, 84-85
  - aldrin 85
  - chlordane 85
  - DDT 85





- dieldrin 85
- dioxins 85
- dirty dozen 85
- endrin 85
- furans 85
- heptachlor 85
- hexachlorobenzene 85
- mirex 85
- polychlorinated biphenyls (PCBs) 85
- Stockholm Convention on Persistent Organic Pollutants 85
- toxaphene 85
- toxicity to humans and wildlife 84
- Pesticides 32, 40, 47, 50
- Pillars of sustainable development 7, 8
  - economic development 7, 8
  - environmental protection 7, 8
  - social development 7, 8
- PLUVUE II 93
- Pollutants measured by monitoring stations 55
- Potential health impact of climate change 82-83
- Poverty alleviation 7, 15
- Power station 32, 34, 35, 40, 63, 65-66, 70, 87, 100, 114, 116, 121
  - air pollution concentrations and trends 65, 66
- Priority pollutants 84
  - aldrin 85
  - chlordane 85
  - DDT 85
  - dieldrin 85
  - dioxins 85
  - endrin 85
  - furans 85
  - heptachlor 85
  - hexachlorobenzene 85
  - mirex 85
  - polychlorinated biphenyls (PCBs) 85
  - toxaphene 85
- Provincial passive monitoring 89, 99-100
- Radiation due to ozone depletion 84
- Radon gas 50
- Rail-related emissions 31, 39
- Rain chemistry 86
- Recirculation plume 86
- Reduced cellular immunity in humans 83
- Reducing the impact of air pollution 13
- Regional and global air pollution challenges 81
  - climate change 81
  - increased concentrations 81
  - industrial emissions 81
  - persistent organic pollutants 81
  - veld fires 81
- Regional passive monitoring 89, 99-100
- Regionally transported emissions 45
  - aerosols from industrial emissions 44
  - biomass burning particles 44
  - marine aerosols 44
  - wind-borne crustal material 44
- Regions characterised by poor air quality 79
  - elevated air pollutant concentrations 79
  - Eskom and Sasol industrial activities on the highveld 79
  - metropolitan municipalities 79
- Regions with elevated air pollutant concentrations 79
- Regulatory tools 103-117
- Remote environments 60
- Remote sensing 43, 63, 93, 99, 122
- Remote sites 43, 63, 65, 66, 70
  - air pollution concentrations and trends 65-66
  - research and scientific advances in air quality 89-101
- Residential household fuel-burning areas 65-67
  - air pollution concentrations and trends 65-66
- Rising mortality due to climate change 83
- Roadside concentrations of pollutants 78
- SADC 96
- SAFARI 2000 89, 93-94
- SAFARI-92 90
- Safe levels of exposure 17
- Sasolburg 69, 77, 78
  - VOC concentrations 77
- Sector-specific initiatives 115
  - Air Quality Management and climate change 117
  - electricity generation 116
  - household fuel combustion 115
  - industry 116
  - vehicle emissions 117
- Shipping emissions 3, 32, 33, 34, 39, 45
- Skin cancer 83, 84
- Smoking legislation in SA 50
  - Tobacco Products Control Act 50
- Soil buffering 86, 87
- Solvents and cleaning agents 4, 47, 50, 77
- South Africa
  - air quality challenges 65
  - persistent air pollution problems 65
  - projected climate change 82
  - road transport pollution 65
- South Africa Regional Science Initiative (SAFARI 2000) 89, 93-94
- South African Mercury Assessment (SAMA) Programme 89, 100-101
- South African Weather Service 55, 60, 61, 91, 96, 111, 123
  - Aerocommanders 96
  - Climate Systems Global Atmosphere Watch 60
- Southern African Development Community (SADC) region 96
- Southern African Fire-Atmosphere Research Initiative 90
- Southern Ocean plume 86
- Standards South Africa 12, 54, 60, 77, 121
- Status of ambient air quality monitoring 119
- Stockholm Convention on Persistent Organic Pollutants 81, 85
- Strand area 92
- Stratosphere ozone depletion 81, 84

eye cataracts 84  
 immune-system-related health risks 84  
 impact on vegetation 84  
 ozone-depleting substances (ODS) 84  
 radiation 84  
 skin cancer 84  
 Sulphur dioxide 2,3, 8, 17, 18, 20-22, 33, 34, 38, 45, 48, 53, 55, 56, 59, 61, 65, 66, 67, 68, 86, 89, 91, 99, 119, 120  
     air quality guidelines 21, 22  
     ecological impact 4  
     health impact 4  
 Surface mining 75  
 Suspended particulate matter 18, 19  
     air quality limits 18, 19, 20  
 Sustainable air quality 7  
     air quality standards 7, 10  
     cost-effective air quality monitoring systems 7, 10  
     emission-reduction strategies 7, 13  
     reducing the impact of air pollution 13  
 Sustainable cities 7, 9  
 Sustainable development 7-10, 104, 108  
 SVOC concentrations 76-77  
     in household fuel-burning areas 76  
 Swedish Environmental Research Institute 76  
     VOC monitoring 76  
 Technical Compilation to Inform the State of Air Report (DEAT, 2006a) 2, 29, 56, 66, 70  
 Temperature increases 82, 95  
 The Constitution 8, 42, 103, 104, 110, 111  
 The dirty dozen 85  
 The greenhouse effect 82  
 The Stockholm Convention 81, 84, 85,  
 Tobacco Products Control Amendment Act (No. 12 of 1999) 50  
 Tobacco smoke 47, 50  
 Environmental tobacco smoke (ETS) 47, 50  
 Toluene 4, 27, 28, 41, 42, 56, 68, 71, 78  
 Traffic emissions 14  
 Transboundary transport of pollutants 62, 66, 81, 85-86, 96, 100, 121  
     atmospheric transport pathways 85  
     transport pathways advecting air to Mpumalanga highveld region 85  
     transportation of products of wild fires 85  
 Transport pathways 86  
     Atlantic Ocean plume 86  
     Indian Ocean plume 86  
     recirculation plume 86  
     Southern Ocean plume 86  
 Transport sector 4, 7, 9, 10, 13, 14, 31, 32, 65, 66, 119, 120, 121, 123  
 Transport sources of atmospheric emissions 37  
     airport emissions 38  
     rail-related emissions 39  
     shipping emissions 39  
     vehicle emissions 37  
 Trymethylbenzene 77, 78  
 Tyre burning 3, 31, 32, 44  
 United Nations Environmental Programme 81, 85  
 United Nations Framework Convention on Climate Change (UNFCCC) 82, 117  
 University of the Witwatersrand 59, 91, 96, 99  
 US Air Quality Act of 1967 8  
 US Clean Air Act of 1963 8  
 Vaal Triangle 32, 33, 34, 44, 48, 86, 113, 123  
 Vehicle emissions 3, 12, 13, 14, 22 31, 33, 34, 37, 38, 45, 78, 93, 103, 114, 117  
 VOC concentrations 76  
     in household fuel-burning areas 76  
     Johannesburg 76  
     Sasolburg 77  
 VOCs 4  
     concentrations in Johannesburg 76  
     ecological impact 4  
     health impact 4  
     monitoring by CSIR 76  
 Volatile organic compounds (VOCs) 4  
     concentrations in Johannesburg 76  
     ecological impact 4  
     health impact 4  
     monitoring by CSIR 76  
 Vulnerability of people to climate change 82  
 Waste treatment 31, 32, 41-42  
 Wastewater 31, 32, 42, 70  
 Water vapour 38, 82  
 Weather extremes 83  
 Western Cape 16, 50, 56, 59, 82  
     projected climate change 82  
 Wild fires 85  
     Angola 86  
     Democratic Republic of Congo 86  
     inducing environmental and climatic change 85  
     Zambia 86  
 World Health Organization (WHO) 17, 18, 19, 20, 21, 22, 23, 60, 77  
 Xylene 4, 27, 28, 42, 56, 68, 71, 78  
 Zambia copper smelters 85  
     wild fires 86  
 Zimbabwe 96